


# Lightwave Productions Dry Hire Stock Card

## January 2020



### **Lightwave Productions offer a full technical production and dry hire service to a spectrum of events across the world.**

We have a large range of equipment including lighting, audio, video, rigging and power all of which is ready to go to in an instant. Our stock is constantly being upgraded and expanded with the newest technology available to the industry, so please be sure to check our website for the latest additions.

All of our equipment is regularly serviced and tested in accordance with industry regulations, so you can be sure to count on our kit for your

event. We can also provide PAT and LOLER records where necessary.

As well as our extensive technical stock, Lightwave Productions also offers set and staging. From control surrounds to full scale conference sets, we can offer a custom solution to all our clients from our large dedicated workshop.

With our fleet of vans we are able to provide 24/7 delivery straight to your event.

Our team of experienced staff are available to assist and advice you on all aspects of your event. Please don't hesitate to get in touch to discuss your requirements.

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

[info@lightwaveproductions.co.uk](mailto:info@lightwaveproductions.co.uk)  
**+44 (0)20 3488 1455**  
[www.lightwaveproductions.co.uk](http://www.lightwaveproductions.co.uk)

**Lightwave**  
Productions 

## ATMOSPHERICS

ADJ Fog Fury 3000	<i>High performance fog machine</i>
MDG Atmosphere Hazer	<i>CO2 Hazer</i>
Smoke Factory Tour Hazer II	<i>Water based hazer</i>

## AUDIO MULTICORES

75m CAT6 FOH Loom	<i>2x S/FTP Ethercon, 1x 16A, 1x XLR</i>
75m FOH Loom	<i>4x Ethercon, 1x 16A, 1x XLR</i>

## BATTERY FIXTURES

ADJ WiFLY EXR HEX5 IP	<i>5x 10W RGBAW + UV, IP65</i>
Astera Titan Tube 8-Way Kit	
Core Colour Point 2	<i>4x 15W RGBW</i>

## BLINDERS

JTE 2 Lite Blinder	<i>2x 650W</i>
Showtec 2-Lite Blinder (DMX)	<i>2x 650W (w/ internal dimmer)</i>
Showtec Sunstrip Active	<i>10x 25w Bulbs</i>

## CONTROL DESKS

Avolites Arena  
 Avolites Titan Mobile  
 Chamsys MagicQ MQ80  
 Chamsys MagicQ Extra Wing Compact  
 ENTTEC DMX USB PRO

## LIGHTING

### DIMMERS

Avolites Power Cube	
Showtec WDP-1 Wireless Dimmer	<i>10A output on 16A socket</i>
Strand Dim 1 Single Channel Dimmer	<i>10A output on 15A socket</i>
Zero 88 Betapack II	<i>6x 10A dimmer outputs</i>

### DMX EQUIPMENT

Elation eNode8 Pro	<i>8-port Artnet node</i>
Showtec Buffer Box	<i>1x 3/5-pin input, 8x 3-pin output</i>
Swisson Buffer Box	<i>1x 5-pin input, 5x 5-pin output</i>
Wireless Solutions Blackbox F-1 G4 Transceiver WDMX	
Wireless Solutions Blackbox F-1 G5 Transceiver WDMX	
Wireless Solutions Micro F-1 G5 Transmitter WDMX	

### EFFECTS

ADJ UV LED 20  
 Chauvet LED UV Panel  
 Large Fan  
 Mirror Ball - 40cm  
 Mirror Ball Rotator

### EMERGENCY LIGHTING

Twin Head Emergency Light

### LASERS

1W RGB Laser  
 2W RGB Laser  
 4W RGB Laser

## LED FIXTURES

ADJ Flat Par QWH5X	5x 5W RGBW
ADJ WiFLY EXR HEX5 IP	5x 10W RGBAW + UV, IP65
ADJ Mega Tri Bar	18x 3W RGB
Chauvet Color Band Pix	RGB
Core Colour Point 2	4x 15W RGBW
Elation Colour 5 Profile	RGBAM
elumen8 Endura 1Q120	1x 120W RGBW COB LED
LED Flood (50W)	CW
OXO Pixyline 150	14x 10W RGBW
ProLights Smart Bat Plus	4x 12W RGBW
SGM P5	44x 10W RGBW, IP65, 43°
SGM Q7	RGBW, IP65, 110°

## LIGHTING CONTROL CABLE

3pin(M) - 5pin(F) DMX Turnaround	
5pin(M) - 3pin(F) DMX Turnaround	
75m CAT6 FOH Loom	2x S/FTP Ethercon, 1x 16A, 1x XLR
75m FOH Loom	4x Ethercon, 1x 16A, 1x XLR
DMX 3 pin - 5m	
DMX 3 pin - 1m	
DMX 3 pin - 2.5m	
DMX 3 pin - 10m	
DMX 3 pin - 20m	
DMX 3 pin - 30m	
DMX 5 pin - 1m	
DMX 5 pin - 2.5m	
DMX 5 pin - 5m	
DMX 5 pin - 10m	
DMX 5 pin - 20m	
DMX 5 pin - 30m	
Low Voltage Cable - 5m	
Low Voltage Cable - 7m	

## LIGHTING

## MOVING LIGHTS

Clay Paky Mythos 2	440W Discharge
Elation Platinum Beam 5R	189W 5R
Elation Platinum Spot 5R Pro	189W 5R
Elation Platinum Spot 15R Pro	300W 15R
Elation Platinum Wash ZFX Pro	19x 15W RGBW
Robe LED Beam 150	7x 40W RGBW
Robe Spider	18x 40W RGBW, 1x 60W RGBW
Vari*Lite VL2600 Profile	550W LED Engine

## NONE

75m CAT6 FOH Loom	2x S/FTP Ethercon, 1x 16A, 1x XLR
75m FOH Loom	4x Ethercon, 1x 16A, 1x XLR
ADJ Mega Tri Bar	18x 3W RGB
Clay Paky Mythos 2	440W Discharge
Robe LED Beam 150	7x 40W RGBW
Robe Spider	18x 40W RGBW, 1x 60W RGBW
Vari*Lite VL2600 Profile	550W LED Engine

## OUTDOOR LIGHTING

ADJ WiFLY EXR HEX5 IP	5x 10W RGBAW + UV, IP65
Astera Titan Tube 8-Way Kit	
Core Colour Point 2	4x 15W RGBW
Festoon (per m)	1m spacing, 20m or 50m lengths, 15w bulbs
OXO Pixyline 150	14x 10W RGBW
Power Flood 400W	Bulbs: white, green, orange, blue
SGM P5	44x 10W RGBW, IP65, 43°
SGM Q7	RGBW, IP65, 110°

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

info@lightwaveproductions.co.uk  
**+44 (0)20 3488 1455**  
www.lightwaveproductions.co.uk

**Lightwave**  
Productions 

## PARCANS

ETC Source 4 Par - MFL	<i>750W, Medium Flood</i>
ETC Source 4 Par - NSP	<i>750W, Narrow Spot</i>
ETC Source 4 Par - VNSP	<i>750W, Very Narrow Spot</i>
ETC Source 4 Par - WFL	<i>750W, Wide Flood</i>
Par 38 Chrome Uplighters	
Par 56 Chrome floorcan	

## PINSPOTS &amp; STEMSPOTS

Bank of 4 Pinspots	<i>White or Black</i>
Chrome LED Stem Spot	
Expo Clamp Stem Light	

## PIXEL LED

ADJ Mega Tri Bar	<i>18x 3W RGB</i>
Astera ART7 AsteraBox CRMX	
Astera Titan Tube 8-Way Kit	
ENTTEC Pixelator	<i>24,576 channel LED controller</i>
ENTTEC Pixie Driver 55W/5V	
ENTTEC PLink Injector	
OXO Pixyline 150	<i>14x 10W RGBW</i>
Robe Spiider	<i>18x 40W RGBW, 1x 60W RGBW</i>

## PROFILES

Elation Colour 5 Profile	<i>RGBAM</i>
ETC Source 4 Backend	<i>750W</i>
ETC Source 4 Junior Zoom 25/50	<i>575W</i>
ETC Source 4 Zoom 25/50	<i>750W, 25/50 degree zoom</i>
Source 4 19 degree Lens Tube	
Source 4 26 degree Lens Tube	
Source 4 50 degree Lens Tube	
Source 4 90 degree Lens Tube	

## LIGHTING

### STROBES

Elation Protron 3K Color LED Strobe  
SGM Q7

240x 3W RGBW  
RGBW, IP65, 110°

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

info@lightwaveproductions.co.uk  
**+44 (0)20 3488 1455**  
www.lightwaveproductions.co.uk

Lightwave  
Productions 

## AMPLIFIERS

d&amp;b D12 Amplifier

*Dual channel amplifier*

d&amp;b D20 Amplifier

*Four channel amplifier*

d&amp;b E-PAC

*Single channel amplifier*

QSC CXD4.5 Amplifier

## AUDIO ADAPTERS

Lightning to 3.5mm Headphone Jack Adapter

Mini jack -&gt; 2x Unbalanced 1/4" Jack

Mini jack -&gt; 2x XLR(M)

NL4 Barrel

NL4 Pin Combiner

NL4 Pin Swap

NL4 Splitter

TA4F - Mono Jack 0.75m

TA4F - XLR(F) 1m

XLR(F) -&gt; 2x XLR(M)

XLR(F) -&gt; Balanced 1/4" Jack

XLR(F) -&gt; XLR(F)

XLR(M) -&gt; 2x XLR(F)

XLR(M) -&gt; Balanced 1/4" Jack

XLR(M) -&gt; XLR(M)

## AUDIO INTERFACES

Focusrite Scarlett 2i2

*2-in, 2-out*

Focusrite Scarlett 18i8

*18-in, 8-out*

## AUDIO MULTICORES

2.5m 8 Way XLR Loom

5m 8 Way XLR Loom

8 way XLR Stagebox 5m



## SOUND

### AUDIO SIGNAL CABLE

50Ω BNC - 1m  
 50Ω BNC - 2.5m  
 50Ω BNC - 5m  
 50Ω BNC - 10m  
 50Ω BNC - 20m  
 Cat 6 10m  
 Cat 6 Patch  
 Ethercon 10m  
 Ethercon 20m  
 Ethercon 30m  
 NL2 - 10m  
 NL2 - 20m  
 XLR - 1m  
 XLR - 2.5m  
 XLR - 5m  
 XLR - 10m  
 XLR - 20m  
 XLR - 30m

### AUDIO SPEAKER CABLE

NL4 - 1m	
NL4 - 2.5m	
NL4 - 5m	
NL4 - 10m	
NL4 - 20m	
NL4 - Socapex(F) [Fan-in]	<i>4x NL4 -&gt; 19-pin Socapex</i>
NLT4 - 1m	
NLT4 - 2.5m	
NLT4 - 15m	
NLT4 - 20m	
Socapex (M) - NLT4 [Fan-Out]	<i>19-pin Socapex -&gt; 4x NLT4</i>

Unit 27 Vale Industrial Park,  
 170 Rowan Road,  
 London,  
 SW16 5BN

[info@lightwaveproductions.co.uk](mailto:info@lightwaveproductions.co.uk)  
**+44 (0)20 3488 1455**  
[www.lightwaveproductions.co.uk](http://www.lightwaveproductions.co.uk)

**Lightwave**  
 Productions 

## COMMUNICATIONS

Green-GO 4-way Wireless Comms Kit  
 Green-GO InterfaceX  
 Green-GO Switch 5  
 Green-GO Wireless Antenna  
 Green-GO Wireless Beltpack X  
 Tecpro BP511 Single Circuit Beltpack  
 Tecpro BP523 Dual Circuit Beltpack  
 Tecpro MS721 Master Station  
 Tecpro PS751 Power Supply [Single circuit]

*Two circuit master station*

## DJ EQUIPMENT

Pioneer CDJ-900  
 Pioneer CDJ-2000NXS  
 Pioneer DJM 850  
 Pioneer DJM-900SRT

## IN-EAR MONITORS

Sennheiser AC 3	<i>Active Antenna Combiner</i>
Sennheiser EK 300 IEM G3	<i>EU Freq (823 - 865 MHz)</i>
Sennheiser ew 300 IEM G3	<i>EU Freq (823 - 865 MHz)</i>
Sennheiser SR 300 IEM G3	<i>EU Freq (823 - 865 MHz)</i>
Shure P10R	<i>Shure PSM1000 Receiver</i>
Shure P10T	<i>Shure PSM1000 Transmitter. K10 Freq (596 - 668 MHz)</i>
Shure PA805SWB Unidirectional Wideband Antenna	<i>Frequency range: 470-870 MHz</i>
Shure PA821A Antenna Combiner	<i>Frequency range: 470-865 MHz</i>

## MICROPHONE STANDS

K&M Short Boom Mic Stand  
 K&M Round Base Mic Stand  
 K&M Tall Boom Mic Stand

## SOUND

## MICROPHONES &amp; DIS

AKG Drum Mic Kit	
Audio Technica U859QL Lectern Mic Set	
Clark Teknik DN 100 DI	<i>Active DI Box with Extended Dynamic Range</i>
Clark Teknik DN 200 DI	<i>Active Stereo DI Box with Extended Dynamic Range and Sum/Split Options</i>
DPA 4060 Miniature Omnidirectional Mic [Black - MicroDot]	
Fame MS835S	
Interspace Industries PC Balance Box	
Radial J48	<i>Active DI Box</i>
Radial Pro 48 DI	<i>Premium Active DI</i>
Rode HS1B Headset Mic	
Rode NT5	
Sennheiser 904	
Shure Beta52	
Shure Beta91	
Shure Beta98H	
Shure KSM 137	
Shure MX412 Lectern Mic Kit	
Shure SM57	
Shure SM58	
Shure WL93T Lavalier [Skin colour - TA4F]	<i>Omnidirectional miniature lavalier</i>
Shure WL183 Lavalier [Black - TA4F]	<i>Omnidirectional TQG lavalier</i>

## MIXING DESKS

Mackie ProFX16 MKII - 16 Channel Mixer	
Midas DL16	
Midas M32R	<i>Digital Console for Live and Studio with 40 Input Channels</i>
Midas MR12	<i>12-Input Digital Mixer for iPad/Android Tablets</i>
Yamaha QL1	
Yamaha QL5	
Yamaha Rio 3224-D	

## NONE

K&M Distance Rod (No Thread)	<i>No thread, from 945 to 1,475 mm</i>
K&M Distance Rod (M20 Thread)	<i>M20 thread, from 1,085 to 1785 mm</i>
NL4 - Socapex(F) [Fan-in]	<i>4x NL4 -&gt; 19-pin Socapex</i>
Shure AD1	<i>470-636 MHz (G56)</i>
Shure ADX2/B58	<i>470-636 MHz (G56)</i>
Shure ADX2/SM58	<i>470-636 MHz (G56)</i>
Shure Beta52	
Shure Beta91	
Shure Beta98H	
Shure KSM 137	
Shure MX412 Lectern Mic Kit	
Shure P10R	<i>Shure PSM1000 Receiver</i>
Shure P10T	<i>Shure PSM1000 Transmitter. K10 Freq (596 - 668 MHz)</i>
Shure ULXD1	<i>606-670 MHz (K51)</i>
Shure ULXD2/SM58	<i>606-670 MHz (K51)</i>
Shure ULXD4D	<i>606-670 MHz (K51)</i>

## RADIO MICROPHONES

RF Venue Diversity Fin	<i>Combined LPDA and dipole antenna</i>
Sennheiser A 1031-U Omni-Directional Antenna	<i>450-960MHz (Passive)</i>
Sennheiser A 2003-UHF Antenna	<i>450-960MHz (Passive)</i>
Sennheiser EM300 G3 4-Way Rack	<i>GB Freq (606 - 648 MHz)</i>
Sennheiser SK100 G3 Beltpack	<i>606 - 648 MHz</i>
Sennheiser SK300 Beltpack	<i>606 - 648 MHz</i>
Sennheiser SKM 100-835 G3 Handheld	<i>606 - 648 MHz</i>
Sennheiser SKM 300-845 G3 Handheld	<i>606 - 648 Mhz</i>
Sennheiser XS Handheld Mic & Receiver	<i>606 - 630MHz (GB)</i>
Shure AD1	<i>470-636 MHz (G56)</i>
Shure ADX2/B58	<i>470-636 MHz (G56)</i>
Shure ADX2/SM58	<i>470-636 MHz (G56)</i>
Shure Axient AD4D	<i>606-670 MHz (K51)</i>
Shure Axient AD4Q	<i>606-670 MHz (K51)</i>
Shure UA845UWB Antenna Distribution System	

## SOUND

Shure UA870WB UHF Active Directional Antenna	<i>Frequency range: 470-900 MHz</i>
Shure ULXD1	<i>606-670 MHz (K51)</i>
Shure ULXD2/SM58	<i>606-670 MHz (K51)</i>
Shure ULXD4D	<i>606-670 MHz (K51)</i>

## SPEAKERS

Atlas Sub	
d&b B2 Sub	<i>Double band pass subwoofer</i>
d&b E3	<i>Full range, 2-way loudspeaker</i>
d&b M4	<i>2-way stage monitor</i>
d&b Q-SUB	<i>Bass-reflex subwoofer</i>
d&b T10	<i>Point Source</i>
d&b Y10p	<i>High performance 2-way passive point source loudspeaker</i>
d&b Y-SUB	<i>High performance flyable cardioid subwoofer</i>
K-Array KR102	<i>2x KK102 satellite speaker, 2x KMT12 sub</i>
Kodiak Speaker	
QSC WL212-sw	<i>Dual 12 in Flying Subwoofer</i>
QSC WL3082 Mid/Hi	<i>WideLine-8 Line Array System</i>
Qube Audio 112 SA	
Qube Audio 118 SA	
QUBE Q106A	<i>Two-way Powered Speaker</i>
Traction Sound Cub	
Traction Sound SDS8 Gobi	
Turbosound NUQ 102-AN	<i>600 Watt 2 Way 10" Full Range Powered Loudspeaker</i>
Turbosound NUQ 112-AN	<i>2500 Watt 2 Way 12" Full Range Powered Loudspeaker</i>
Turbosound NUQ 118-AN	<i>3000 Watt 18" Band Pass Subwoofer</i>

## STANDS & ACCESSORIES

d&b E3 Swivel bracket (Z5032)	
d&b Q7 Flying Bracket (Z5161)	
d&b Stand Adapter (Z5024)	
d&b T10 Flying Bracket (Z5371)	
d&b T flying frame (Z5370)	
d&b Y10P Swivel Bracket (Z5397)	
Fantek FT6033	<i>Lifts 300kg to 5.98m</i>

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

info@lightwaveproductions.co.uk  
**+44 (0)20 3488 1455**  
www.lightwaveproductions.co.uk

**Lightwave**  
Productions 

K&M Distance Rod (No Thread)	<i>No thread, from 945 to 1,475 mm</i>
K&M Short Distance Rod	<i>M20 thread, from 905 to 1,450 mm</i>
K&M Speaker Tripod	<i>50kg max</i>
K&M 24105 Stand Fork	<i>max 25kg per speaker</i>
K&M Round Base Plate	<i>450mm, 6kg base plate, M20 thread</i>
K&M Round Base Speaker Stand	<i>20kg max, from 1,100 to 1,810 mm</i>
K&M Distance Rod (M20 Thread)	<i>M20 thread, from 1,085 to 1785 mm</i>

## VIDEO

## DISPLAYS

4m Fast Fold Screen	<i>Front and rear projection</i>
5.5m Fast Fold Screen	<i>Front and rear projection</i>
21.5" LED Screen	
32" Toshiba LED TV	
50" LG HD Plasma TV	
55" HD Screen	
65" Panasonic HD LED TV (TH-65LFE8E)	
65" Samsung Full HD LED TV (ME65B)	
65" Sony HD LED TV (65XD8599)	
75" Sony HD LED TV (75XE8596)	
85" Sony HD LED TV	

## LAPTOPS &amp; ACCESSORIES

13" Macbook Pro	<i>MacBook Pro 13"</i>
MacBook Pro 15"	<i>Retina MacBook</i>
Dell XPS 9570 15" Laptop	
MacBook Pro 15" Touchbar	<i>Retina MacBook</i>
Kensington Wireless USB Presentation Clicker	

## NONE

65" Panasonic HD LED TV (TH-65LFE8E)
65" Samsung Full HD LED TV (ME65B)
65" Sony HD LED TV (65XD8599)
75" Sony HD LED TV (75XE8596)
85" Sony HD LED TV

## PROJECTORS

Panasonic PT-RZ120 Laser Projector
------------------------------------

## SWITCHING & SCALING

Black Magic ATEM Studio Switcher

Roland V-02HD Multi-Format Video Mixer

*Micro switcher and scaler*

## TV STANDS & ACCESSORIES

B-Tech Black upright stand

## VIDEO CABLE

Display Port -> HDMI

Display Port Adapter (VGA,DVI-D,HDMI)

HDMI - 1m

HDMI - 2.5m

HDMI - 5m

HDMI - 10m

HDMI - 15m

HDMI - 20m

Mini Display Port -> HDMI

SDI - 1m

SDI - 2.5m

SDI - 5m

SDI - 10m

SDI - 20m

SDI - 30m

SDI - 50m

USB C -> HDMI

## VIDEO DISTRIBUTION

Atomos Connect Split SDI DA

*SDI to 4xSDI*

Black Magic Micro HDMI to SDI

Black Magic Micro SDI to HDMI

Black Magic Mini HDMI - SDI

Black Magic Mini SDI - HDMI



## VIDEO

Black Magic Mini SDI Distribution  
Decimator MD-HX Cross Converter  
Decimator MD-LX Bi-Directional Converter  
HDMI 2way DA

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

info@lightwaveproductions.co.uk  
**+44 (0)20 3488 1455**  
www.lightwaveproductions.co.uk

**Lightwave**  
Productions 

## MAINS DISTRIBUTION

63A 3Ø Utility Distro	3x Socapex, 3x 63A 1Ø, 1x 32A 3Ø, 3x 32A 1Ø, 3x 16A, 3x 13A
63A 3Ø Socapex Distro	6x Socapex, 1x 32A 3Ø, 3x 16A
125A 3Ø to 2x 63A 3Ø	2x 63A 3Ø MCB
125A 3Ø Socapex Distro	8x Socapex w/ RCBO, 3x 16A utility
Powerlock 3Ø Distribution Type 2	1x Powerlock thru, 1x 125A 3Ø, 2x 63A 3Ø, 4x 32A 3Ø
PCE Stackable Distro - 32A 1ph In to 6x16A Out	
PCE Stackable Distro - 32A 3ph In to 3x32A 1ph Out	
Powerlock 3Ø Distribution Type 1	1x 125A 3Ø, 2x 63A 3Ø, 1x 32A 3Ø, 3x 63A, 3x 32A, 6x 16A

## MULTICORE

3 way Socapex Loom with 2x DMX	30m socapex and DMX loom
5 way Socapex Loom with 2x DMX	30m socapex and DMX loom
Socapex - 2.5m	
Socapex - 5m	
Socapex - 10m	
Socapex - 15m	
Socapex - 20m	
Socapex - 30m	
Socapex Box with thru (16A)	
Socapex Fan In (15A)	
Socapex Fan In (16A)	
Socapex Fan Out (13A)	
Socapex Fan Out (15A)	
Socapex Fan Out (16A)	
Socapex Fan Out (Powercon)	
Socapex Staggered Fan out (16A)	

## NONE

13A - IEC	
13A - powerCON	
16A T-Line -> powerCON	
32A 3Ø - 30m	
63A 3Ø Utility Distro	3x Socapex, 3x 63A 1Ø, 1x 32A 3Ø, 3x 32A 1Ø, 3x 16A, 3x 13A

## POWER

63A 3Ø Socapex Distro	<i>6x Socapex, 1x 32A 3Ø, 3x 16A</i>
125A 3Ø Socapex Distro	<i>8x Socapex w/ RCBO, 3x 16A utility</i>
Powerlock 3Ø Distribution Type 2	<i>1x Powerlock thru, 1x 125A 3Ø, 2x 63A 3Ø, 4x 32A 3Ø</i>
powerCON Link - 1m	
powerCON Link - 2.5m	
powerCON Link - 5m	
powerCON Link - 10m	
Powerlock 3Ø Distribution Type 1	<i>1x 125A 3Ø, 2x 63A 3Ø, 1x 32A 3Ø, 3x 63A, 3x 32A, 6x 16A</i>

## OTHER

Adam Hall Defender Compact	<i>7 channel overlaid cable protector</i>
Guard Dog 5 Channel Cable Ramp	<i>Black 5 channel cable ramp</i>

## SINGLE PHASE MAINS ADAPTERS

13A 4 way  
 13A - 16A adapter  
 13A - 32A adapter  
 13A - IEC  
 13A - powerCON  
 13A Grelco  
 15A - 13A adapter  
 15A - 16A adapter  
 16A - 13A 2 Way adapter  
 16A - 13A 4 Way adapter  
 16A - 15A adapter  
 16A - 32Aadapter  
 16A T-Line -> powerCON  
 16A - powerCON TRUE1  
 16A IEC  
 16A Split (2 Way)  
 32A - 63A adapter  
 Hex Par 16a Power Cable

## SINGLE PHASE MAINS CABLE

13A - 2.5m  
13A - 5m  
13A - 10m  
13A - 15m  
13A - 20m  
16A - 2.5m  
16A - 5m  
16A - 10m  
16A - 20m  
16A - 30m  
32A 1 $\emptyset$  - 1m  
32A 1 $\emptyset$  - 10m  
32A 1 $\emptyset$  - 20m  
32A 1 $\emptyset$  - 30m  
Hex Par 5m Power Link  
Hex Par 10m Power Link  
IEC Link - 1m  
IEC Link - 2.5m  
IEC Link - 5m  
IEC Link - 10m  
powerCON Link - 1m  
powerCON Link - 2.5m  
powerCON Link - 5m  
powerCON Link - 10m  
powerCON TRUE1 TOP - 2.5m  
powerCON TRUE1 TOP - 5m

## THREE PHASE MAINS ADAPTERS

32A 3 $\emptyset$ -> 63A 3 $\emptyset$  Adapter  
63A 3 $\emptyset$  -> 125A 3 $\emptyset$  Adapter  
125A 3 $\emptyset$  -> Powerlock Adapter

## POWER

### THREE PHASE MAINS CABLE

32A 3 $\phi$  - 10m

32A 3 $\phi$  - 20m

32A 3 $\phi$  - 30m

63A 3 $\phi$  - 5m

63A 3 $\phi$  - 10m

63A 3 $\phi$  - 20m

63A 3 $\phi$  - 30m

125A 3 $\phi$  - 1m

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

info@lightwaveproductions.co.uk  
**+44 (0)20 3488 1455**  
www.lightwaveproductions.co.uk

**Lightwave**  
Productions 

## ACCESS EQUIPMENT

6 Rung Zarges	<i>4.10m Fully Extended Height</i>
8 Rung Zarges	<i>5.80m Fully Extended Height</i>
10 Rung Zarges	<i>6.90m Fully Extended Height</i>
12 Rung Zarges	<i>8.60m Fully Extended Height</i>
14 Rung Zarges	<i>9.70m Fully Extended Height</i>

## CLAMPS &amp; FIXINGS

Tubular Boom Arm c/w Half Coupler (0.5m)	<i>500mm long 48mm pipe with half coupler</i>
Big Ben	
Gravlock	
Half Coupler with eye bolt	
Marquee Clamp	<i>150kg SWL</i>
Pipeclamp 3 Way 90° Elbow	
Pipeclamp 90° Elbow	
Pipeclamp Angled Two Socket Cross	
Pipeclamp Base Flange (Oval)	
Pipeclamp Base Flange (Round)	
Pipeclamp Corner with Through Centre Tube	
Pipeclamp Handrail Bracket	
Pipeclamp Long Tee	
Pipeclamp Short Tee	
Pipeclamp Side Outlet Tee	
Pipeclamp Single Swivel Combination	
Pipeclamp Swivel Base	
Soild Tube Joiner	
Swivel Coupler	
Swivel Gravlock	

## LIFTING ACCESSORIES

Shackle - 1t	<i>1t bow shackle</i>
1t Steel - 2m	
1t Steel - 3m	

## RIGGING

1t Steel - 5m	
Shackle - 2t	<i>2t bow shackle</i>
Shackle - 3.25t	<i>3.25t bow shackle</i>
Ratchet Strap - 0.5t	
Ratchet Strap - 5t (9m)	
Round Spanset - 2m	<i>2T, 2m circumference</i>
Round Spanset - 4m	<i>2T, 4m circumference</i>

## MOTORS & HOISTS

3 Way Motor Soca Fan Out	
CM Lodestar 500kg Motor	<i>H.O.L 20m</i>
CM Prostar 250kg Motor	<i>H.O.L 12m</i>
LV6 Series Low Voltage Chain Motor Controller	<i>6-way LV motor controller</i>
Motor LV Loom - 2.5m	
Motor LV Loom - 5m	
Motor LV Loom - 10m	
Tractel Black 250kg Chainblock	<i>12m H.O.L</i>

## OTHER

1m Ground Anchor

## STANDS & ACCESSORIES

Avenger 1020CS Push Up Stand	<i>40kg max load, 350cm max height</i>
Doughty Floor Base	
Doughty T50820 48mm Receiver to M10 Fixing	
Doughty Tank Trap	
Duratruss Truss Adapter	
Manfrotto Wind Up Stand	<i>30kg max weight, 2.47m max height</i>

Unit 27 Vale Industrial Park,  
170 Rowan Road,  
London,  
SW16 5BN

info@lightwaveproductions.co.uk  
**+44 (0)20 3488 1455**  
www.lightwaveproductions.co.uk

**Lightwave**  
Productions 

## TRUSS

Duratruss DT 31/2 0.5m  
 Duratruss DT 31/2 1m  
 Duratruss DT 31/2 2m  
 Duratruss DT 31/2 3m  
 Duratruss DT 32/2 1m  
 Duratruss DT 32/2 2.5m  
 Duratruss DT 32/2 3m  
 Duratruss DT 34 0.5m  
 Duratruss DT 34 1m  
 Duratruss DT 34 2m  
 Duratruss DT 34 3m  
 Duratruss DT 34 Flex Tower  
 Duratruss U Frame 50cm  
 Litec QX30 0.3m  
 Litec QX30 0.5m  
 Litec QX30 1.5m  
 Litec QX30 1m  
 Litec QX30 2m  
 Litec QX30 3m  
 Litec QX30 3m Circle 90 degree section  
 Litec QX30 Dado Corner

## TRUSS ACCESSORIES

600mm Truss Base Plate	<i>15kg, for 30cm truss</i>
800mm Truss Base Plate	<i>8kg, for 30cm truss</i>
900mm Truss Base Plate	<i>35kg, for 30cm truss, moveable eggs</i>
1m Lightweight Truss Base Plate	<i>For 30cm truss</i>
Duratruss 100mm Spacer	
Duratruss DT 34 Base Plate (30cm)	
Duratruss U Frame Base	
Litec QX30 Base Plate (30cm)	